



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Custom Cork Coasters for Logos, Weddings and Bar Branding: Specs, Proofing and QC Guide

Product Image













Details

Custom cork coasters are coasters made from cork-oak bark and decorated with a logo, name or artwork. The decoration is applied by laser engraving, UV digital print or screen/pad print. To order well, match thickness and construction to how wet the drinks get, and approve a proof made on the final material. Then get MOQ, unit price and lead time confirmed in a written quote.

Who Buys Custom Cork Coasters, and What Are They Solving? [↑](#)

Three buyer groups dominate public listings and reviews.

B2B buyers want a logo that sits under every drink for the length of a visit. This group includes marketing coordinators, event planners, bars, breweries, wineries and real estate agents. Totally

Promotional pitches its cork range directly at [bars, breweries and wineries](#)^[1], as well as company barbecues and festivals.

Wedding hosts and parents want a favor that guests actually keep. One verified Amazon buyer described her order as ["very thick and eco friendly"](#)^[2] for her wedding gifts. Personal gift buyers order small sets with initials, a photo or a home-bar name.

Each group works under different constraints:

Corporate orders commonly run [200 to 2,000 units per order](#)^[3]. They involve repeat runs, brand colors and fixed event dates.

Wedding orders are smaller and tied to a date that cannot move. They are also very sensitive to spelling errors.

Gift buyers care more about legibility and speed than unit cost.

This page is written mainly for the first two groups: buyers who need a batch that looks right, survives condensation and arrives before the event.

Why Do Cork Coaster Orders Fail After Delivery? [↑](#)

The problem is rarely the artwork itself. It is a gap between the screen mockup and the physical coaster.

A verified Shopper Approved buyer reported cork board coasters that ["warped horribly and were unusable"](#)^[4]. Another buyer on the same page said thin coasters "just curl up when you put a wet glass on them." In the Amazon review set cited above, a father of the groom asked for a full refund because the printing was off-center and the batch was unusable for the wedding.

Decoration expectations also break down. One Amazon buyer saw a color logo on the proof but received [only a black outline](#)^[5]. Other buyers on that listing reported poor letter spacing, and one found a short-shipped wedding order only after the refund window had closed.

Shipping adds its own risk. A \$900 coaster order arrived [crushed in one carton of about 30 pounds](#)^[6]. That order was pulpboard rather than cork, but it followed the same bulk-shipping path. Every one of these failures costs more than the coasters themselves, because the event date stays fixed.

The fix is procedural:

Specify thickness and construction for the drink conditions.

Require a proof made on the final material and thickness.

Sign off spelling and placement in writing.

Inspect against defined reject criteria.

Pack to resist compression.

The rest of this guide turns those points into steps you can write into a purchase order.



Table of Contents

- [Who Buys Custom Cork Coasters, and What Are They Solving?](#)
- [Why Do Cork Coaster Orders Fail After Delivery?](#)
- [What Exactly Is a Custom Printed Cork Coaster?](#)
- [How Do You Order Without Surprises?](#)
- [Which Decoration Method Fits Your Use Case?](#)
- [What Do Public Price and Lead-Time Benchmarks Tell You?](#)
- [What Can You Honestly Claim About Eco and Food Contact?](#)
- [Key Takeaways for Buyers](#)
- [Ready to Quote Your Coasters?](#)

What Exactly Is a Custom Printed Cork Coaster? ↑

ISO 633:2019 defines cork as the [protective bark layer of the cork oak \(Quercus suber L.\)^{\[7\]}](#), which can be harvested periodically. That definition covers only the raw material.

Several other components are separate from the cork itself: agglomerated cork granules, binders, MDF or hardboard tops, inks, varnishes and rubber backings. A product sheet should list these components instead of calling the whole coaster "pure cork."

Size and thickness determine how legible the design will be. A common promotional reference is a 4 in round, 1/8 in thick, with a [3-1/4 in diameter imprint area^{\[8\]}](#). That leaves about 3/8 in of blank border all the way around.

Custom Coasters Now says cork coasters are often about 1/8 in (3 mm) thick, with a [typical range of 1/8 to 1/4 in^{\[9\]}](#). Thicker stock feels more substantial and holds more condensation, but it also dries more slowly.

Cork is [moisture resistant but not fully waterproof during prolonged soaking^{\[10\]}](#). For that reason,

"waterproof" should not appear on a cork coaster spec sheet.



Construction	Reference spec	Best fit	Watch-out
Pure cork	About 3 mm round	Laser text, simple logos, eco gifts	Uneven surface breaks fine strokes; colors print muted
Cork bottom + MDF/hardboard top	About 4 mm	Full-color photos, sharp brand colors	Top coating can lift if moisture gets underneath
Printed laminate on board, cork back	Confirm at quotation	Gift sets, retail packs	Wipe clean only; does not feel like solid cork
Pulpboard (alternative)	Confirm at quotation	High-volume bar consumables	Lower durability; warps when saturated

Aquaholic's materials guide compares two common builds. One is the 3 mm pure-cork round. The other is a [4 mm cork-bottomed coaster with an MDF or hardboard top^{\[11\]}](#), which gives sharper print. The guide notes that pure cork absorbs ink, so colors look "slightly muted but warm."

A supplier page also warns that natural cork's [uneven surface and gaps^{\[12\]}](#) can cause incomplete printing or broken strokes.

The thickness figures above are market references, not measured specs for this product. Thickness for your run is confirmed at sampling.



How Do You Order Without Surprises? [↑](#)

A mature production sequence runs from inquiry to delivery. EcoCorker documents it as [RFQ, dieline and artwork, pre-production sample, production, packing, and FOB/CIF logistics](#)^[13]. Adapted for event and brand buyers, the steps are:

1. **RFQ.** State the shape, diameter, thickness, construction, quantity, decoration method, sides printed, packaging and in-hand date.
2. **Dieline and artwork.** Place vector artwork on the supplier's dieline, inside the imprint area.
3. **Pre-production sample.** Approve a physical sample on the final material and thickness before mass production starts.
4. **In-process checks.** Compare first, middle and last pieces against the approved sample.
5. **Final inspection.** Sample the lot using an ANSI/ASQ Z1.4 AQL plan covering dimensions, surface, print and packaging.
6. **Packing and delivery.** Confirm carton count, inner packing and the Incoterm in writing.

Preflight your artwork before requesting a quote

Supply vector logos (AI or PDF). Any raster image should be at least 300 DPI, as [supplier artwork rules](#) state.

Color handling causes the most surprises. A Printful buyer found that CMYK files came out "[completely oversaturated](#)" and recommended RGB^[14] for cork-back coasters. A Sticker Mule reviewer warned that the colors "[do not contrast nearly as well as the proof](#)"^[15].

On pure cork, use bold, high-contrast marks. Avoid hairlines, small reversed text and soft gradients.

For laser engraving, send black-and-white line art. Grayscale and full-color photos cannot be engraved.

Type names, dates and other wording into a text field in addition to placing them in the artwork. That

way the proof can be checked against them character by character.



Production and lead time

Laser settings shift from one cork batch to the next, so the MimoWork guide advises running a test grid on every new material batch.

Engraving also leaves soot behind. A Reddit maker found that this residue [spreads once the coaster gets wet](#)^[16]. Ask how finished pieces are cleaned, and wipe one sample with a damp cloth before you approve it.

Lead time for this product will be stated in your written quote and counts from artwork approval.

For planning, public references vary widely. [One OEM](#) quotes about 7-10 business days for samples and 12-25 business days for production. A [US promotional catalog](#) lists a 15-business-day standard run with a \$50 one-color setup fee.

Work backward from the event to set an artwork-freeze date, and do not assume a rush option will be available.



Quality inspection on arrival

Check	How to test	Reject if
Dimensions and thickness	Measure an AQL sample with calipers	Outside the tolerance agreed in the quote
Flatness after condensation	Leave a cold drink on the coaster for 30-60 minutes, then let it dry	Curls or warps more than the approved sample
Print placement	Overlay the approved proof	Off-center or crooked imprint
Spelling and spacing	Compare with the signed text field	Any typo or uneven letter spacing
Color and contrast	Compare with the approved sample under the same light	Visible shift; delta-E per supplier SOP
Count and packaging	Count and photograph within 48 hours	Shortage, crushed cartons, scuffed corners

The condensation test is based on the warping complaints quoted earlier. It is a pass/fail comparison against the approved sample, not a laboratory standard. No ASTM standard specifically covers beverage cork coasters, so treat any claim of compliance with one as unverified.

Delta-E targets come from supplier SOPs and are not a legal threshold. Agree all tolerances in the quote before production begins.



Packaging, shipping and reorders

Ask for inner packs, such as shrink-wrapped stacks or boxed sets. Also ask for cartons sized so the weight above does not crush the lower layers. The damaged order described earlier was packed in a single overloaded box.

Count and photograph cartons within 48 hours of delivery. Custom pieces are generally non-returnable, except for supplier errors such as misprints or shortages.

For reorders, keep the approved sample, the artwork file version and the quote reference, so the next run can be matched to them.

Unit weight and carton specifications for this product are confirmed at sampling and are not stated here.



Which Decoration Method Fits Your Use Case?[↑](#)

Method	Best for	Limits
Laser engraving	Names, dates, line logos; gift and corporate sets	Single dark burn only; no color or photos; soot must be cleaned
UV digital (full color)	Photos, multicolor logos, small to mid runs	Muted on pure cork; sharper on a hardboard top; surface ink can wear
Screen or pad print	1-2 spot colors on larger runs	Fine lines and gradients break up on cork texture

Everything Etched describes laser engraving as a [dark burn effect that is permanent^{\[17\]}](#) and needs no maintenance, because the mark is in the cork itself. Printed ink sits on the surface, so heavy abrasion and repeated wetting can wear it.

The Promotion Choice guide cited above says cork reduces table scratching and noise better than rigid wood. It recommends cork or rubber-backed coasters for restaurants and thick pulpboard for breweries. Choose engraving when the design needs to last and color is not required. Choose UV on a hardboard top when brand color matters.

What Do Public Price and Lead-Time Benchmarks Tell You?[↑](#)

The table below shows competitor list prices visible on public pages in 2026, excluding shipping. These are not quotes for this product. MOQ, unit price and production time for your order will be set in a written quote.

Public listing	Construction	MOQ	Listed price	Production time
Totally Promotional 4" circle	Solid cork, 1/8 in	300	From \$0.60 + \$50 setup	15 business days

Custom Coasters Now bulk cork ^[18]	Printed cork	50	\$0.50+ each	3–5 business days
PureButtons 3.5" round ^[19]	Steel button top, cork back	1	\$4.99 (1) to \$0.78 (5,000+)	1–3 business days
Everything Etched set	Laser-engraved cork, 4 + holder	1 set	\$25.99 per set	Ships 2–3 business days after approval

Read these listings as points on a price curve. Prices under \$1 appear only with high minimums and setup fees. Single-piece orders cost several dollars each. Engraved gift sets work out to roughly \$6.50 per coaster.

PureButtons is not a solid-cork product; the cork is only the backing, so its absorbency is different.

If low cost is the only goal for high-turnover bar use, pulpboard may be the better choice. Cork justifies its higher price through reuse, scratch protection and a renewable-material story.

What Can You Honestly Claim About Eco and Food Contact? [↑](#)

Cork's sustainability story is real, but it has to be stated precisely. APCOR reports that cork oaks are first harvested at about 25 years old. After that, the bark is [stripped roughly every nine years](#)^[20] without cutting the tree down.

The FTC Green Guides say it is [deceptive to misrepresent](#)^[21] that a product is made with renewable materials. A renewable claim must be qualified unless the entire product is made from such materials. That matters when a coaster also carries inks, adhesives, an MDF top or a rubber backing.

Avoid unqualified "100% eco-friendly" or "biodegradable" claims. Any FSC wording requires chain-of-custody documents.

Food-contact rules are narrower than many listings suggest. In US federal regulations, cork appears in [21 CFR 177.1210](#)^[22], which lists cleaned, granulated cork as an allowed material for sealing gaskets on food containers. That rule does not cover coasters.

In Europe, the EDQM [technical guide on cork for food contact](#)^[23] covers items such as trays and placemats and supplements CM/Res(2020)9.

Neither source makes a printed coaster "FDA approved." If a customer requires food-contact documentation, ask for conformity documents for the inks and coatings.

For sales into California, Prop 65 warnings for vinyl acetate, which some adhesives contain, apply [from January 3, 2026](#)^[24]. Test the finished coaster, not only the cork sheet.

Key Takeaways for Buyers [↑](#)

- **Branded coasters draw on the overall promotional products budget, not a standalone market.** — US promo distributor sales reached \$27.1 billion in 2025 ([Source](#))
- **Coaster market estimates conflict, so treat them as directional only.** — \$711.2 million in 2024 ([Source](#)) versus \$2.8 billion in 2025 ([Source](#))
- **Standard promo cork is thin, so legibility depends on the imprint area.** — 4 in round, 1/8 in thick, 3-1/4 in imprint area ([Source](#))

- **Final inspection should follow a recognized sampling plan.** — AQL per ANSI/ASQ Z1.4 ([Source](#))
- **Renewable claims need qualification when the coaster includes non-cork parts.** — 16 CFR 260.16 ([Source](#))

MOQ, production time and unit weight for this product have not yet been verified. They will be confirmed in your written quote and at sampling.

Ready to Quote Your Coasters? [↑](#)

To get started, send the following:

Your logo or artwork.

Target quantity, preferred size and thickness.

Decoration method.

Event or in-hand date.

Your written quote will cover MOQ, unit price, setup, sampling and production time. It will also explain the proof and sample options available for your chosen construction, so you can sign off spelling, placement and color before anything goes into production. **Request your custom cork coaster quote with your artwork today.**

^[1]Totally Promotional: Cork coaster category page listing use cases and pricing claims. [↵](#)

^[2]Amazon B0D5QGSNZF: Verified wedding buyer reviews, including an off-center printing complaint. [↵](#)

^[3]MimoWork: Commercial cork laser guide covering order sizes and test grids. [↵](#)

^[4]Shopper Approved: Verified reviews reporting warping and thin, curling coasters. [↵](#)

^[5]Amazon B0DXKSJSWR: Reviews citing proof mismatch, letter spacing and shortages. [↵](#)

^[6]Shopper Approved: Review of a \$900 order arriving crushed in transit. [↵](#)

^[7]ISO 633:2019: International vocabulary standard defining cork. [↵](#)

^[8]Totally Promotional 4" Circle: Size, imprint area, setup fee and production time. [↵](#)

^[9]Custom Coasters Now: Guide to typical coaster thickness ranges. [↵](#)

^[10]Promotion Choice: Coaster buyer's guide comparing materials and moisture resistance. [↵](#)

^[11]Aquaholic: Coaster materials guide comparing cork constructions and print methods. [↵](#)

^[12]Jin Sheu: Supplier notes on cork surface limits and 300 DPI artwork. [↵](#)

^[13]EcoCorker: OEM process from RFQ to delivery, with AQL inspection and lead times. [↵](#)

^[14]Printful: Cork-back coaster reviews on CMYK oversaturation. [↵](#)

^[15]Sticker Mule UK: Coaster reviews on weak contrast compared with the proof. [↵](#)

^[16]Reddit r/Laserengraving: Maker thread on engraving soot spreading when wet. [↵](#)

^[17]Everything Etched: Laser-engraved cork set details, price and shipping time. [↵](#)

^[18]Custom Coasters Now Bulk: Bulk cork MOQ, price and production time. [↵](#)

^[19]PureButtons: Cork-backed button coaster price tiers and production time. [↵](#)

^[20]APCOR via PR Newswire: Cork harvest cycle and tree regeneration facts. [↵](#)

^[21]16 CFR 260.16: FTC Green Guides section on renewable materials claims. [↵](#)

^[22]21 CFR 177.1210: FDA rule listing granulated cork for container gaskets. [↵](#)

^[23]EDQM: Technical guide on cork materials in contact with food. [↵](#)

^[24]PPAI: Vinyl acetate Prop 65 listing and warning date. [↵](#)

Product Option